

DFW 2644
174



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q56957

Tatsuzo HASEGAWA, et al.

Appln. No.: 09/453,525

Group Art Unit: 2644

Confirmation No.: 2758

Examiner: Andrew R. Graham

Filed: December 03, 1999

For: BTL AMPLIFIER APPARATUS

EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

An Amendment Under 37 C.F.R. § 1.111 is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:


	After Amendment		Highest No. Previously Paid For					
All Claims	17	-	21	=	X	\$50.00	=	\$0.00
Independent	5	-	3	=	2	X	\$200.00	= \$400.00
TOTAL							=	\$400.00

A check for the statutory fee of \$400.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A

Excess Claim Fee Payment Letter
U.S. Application No. 09/453,525

duplicate copy of this letter is enclosed.

Respectfully submitted,



Allison M. Tulino
Registration No. 48,294

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

Date: January 14, 2005



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q56957

Tatsuzo HASEGAWA, et al.

Appln. No.: 09/453,525

Group Art Unit: 2644

Confirmation No.: 2758

Examiner: Andrew R. Graham

Filed: December 03, 1999

For: BTL AMPLIFIER APPARATUS

AMENDMENT UNDER 37 C.F.R. § 1.111

MAIL STOP AMENDMENT

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated October 20, 2004, please amend the above-identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS2

REMARKS10

01/18/2005 JADD01 00000096 09453525

01 FC:1201

400.00 0P